



Mercury 470 Heavy Duty

POA



Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	470 Heavy Duty	Length	4.70
Year	2020	Category	Inflatable Boats
Hull Style	Single	Hull Type	Inflatable
Power Type	Power	Stock Number	0
Condition	New	State	New South Wales
Suburb	SOUTH NOWRA	Engine Make	

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

Model 470 Heavy Duty Sport
Fabric Mehler Haku PVC or Achillies HP
Boat Colour Red
Max. persons 10
Max. HP 55
Transom height Long
Max. engine weight (kg) 130
Max. load (kg) 1200
Weight 1 (kg) 172 for Mehler Haku PVC model
179 for Achillies HP model
Length (cm) [outside] 470
Width (cm) [outside] 216
Tube diameter (cm) 54
Number of air chambers 5+Keel
Keel Inflatable
Floor Aluminium
Dimensions of folded boat (cm) - Bag 1
- Bag 2156 x 75 x 45
126 x 71 x 20
Warranty on fabric and seams 3 years for Mehler Haku PVC model
5 years for Achillies HP model

Note:

1. Includes weight of oars, does not include the weight of seat (where applicable), double action pump, repair kit and carry bag.

Recommended tube air pressure is 0.25bar (3.6psi)

Due to our constant efforts to offer the finest products available, Mercury inflatables reserves the right to change specifications without notice. Equipment Hull

- Ideal for diving and fishing.
- Aluminium floorboards with strong interior construction (#1 & 2 floorboards are fibreglass).
- Inflatable keel forms a V in bottom of the boat for improved performance.
- Stainless steel towing eyes in transom, make ideal davit lifting points or towing eyes for water sports activities.
- ABS sheet laminated transom, eliminates transom maintenance. Includes plastic shim to raise motor height if necessary.
- Inside one way water drain.

Buoyancy Tube

- Available in Mehler Haku PVC or Achillies HP fabric
- 5 separate internal air chambers for safety.
- Semi-recessed air valves - self draining, internal spring-loaded quick seal system, with plug.
- Euro-style rounded and reinforced end cones.
- Easily accessible internal lifting eyes, make ideal davit lifting points.
- Ample grab ropes for easy exit / entry.
- Oar stowage.
- Rub strake.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

-
- 6 x combined external cleat / grab handles for easy transportation and launching.
 - 2 external stainless steel D-rings under the bow
 - Bow-eye / handle
 - Extra eyelets for installing bow bag
 - Additional double layer wear pads (embossed anti-skid pattern for Mehler Haku PVC boats)

Standard Equipment

- 2 storage / carry bags.
 - Repair kit.
 - Double action hand pump with gauge.
 - Aluminium oars.
-

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.